

iPad - Integrated Vest Tether *Use for Industrial Functions*



Usage: iPad used for Industrial Functions (Including Scanning)

Gear Keeper is located at the bottom of the lower vest pocket with either Stud Mount in existing vest or integrated into Radians Vest Integration System.

Safety Tether Option: Recommend 6oz retraction force prevents loss and damage with minimal force on iPad. Will not retract the iPad, but typically the iPad can be returned to pocket area and released to be left dangling for frequent use. Store iPad in pocket when not using.

Retractor Option: Recommend 9oz or 12oz retraction force depending on iPad model and case configuration.

With correctly selected retraction force, iPad can be let go and will retract back to pocket area. Can be left hanging during frequent use. Store iPad in pocket when not using.



Threaded Stud Mount

Available Retraction Forces:

- 6 oz./36"
- 9 oz./32"
- 12 oz./32"

iPad - Retractable Tether *Use for Industrial Functions*



Locking Brass Bolt

Available Retraction Force:
18 oz./ 36"



SS Interlocking Belt Clip

Available Retraction Force:
18 oz./ 36"



Clamp-On 360° Rotating Belt Clip

Available Retraction Force:
18 oz./ 36"



Multi-Mount: Clamp-On 2-Axis Rotating Belt Clip

Available Retraction Force:
18 oz./ 36"

Usage: iPad used for Industrial Functions - (Including Scanning)

Gear Keeper is Attached to Person

- Snap clip to belt loop or D-ring
- Carabiner to belt loop or D-ring
- Alligator Clip to Clothing
- Rotating Belt Clip to pants or belt

Safety Tether Option: Recommend 6oz. Retraction Force prevents loss and damage with minimal force on iPad. Will not retract the iPad, but typically the iPad can be returned to mounted area and released to be left dangling for frequent use. Store iPad in pocket when not using.

Retractor Option: Recommend 9oz. or 12oz. retraction force depending on iPad model and case configuration.

With correctly selected retraction force, iPad can be let go and will retract back to the mounting area and is suspended by Gear Keeper.

iPad can be stored in a pocket when not in use to avoid dangling.



Belt iPad Mini Tether/Pouch



■ iPad Tether/Pouch

Retractor: 9 oz./32"

Holster: Horizontal

Belt: Fits up to 48" waist

Left and Right-Handed Configurable

Holster Option: Vertical Pouch

Belt Option: Fits up to 60" waist (1-0351-02)



iPad Webbing Belt

■ Webbing Belt

1-0159-01 2"x48" Webbing Belt w/ Side Release Buckle

1-0159-11 2"x60" Webbing Belt w/ Side Release Buckle

1-0159-05 2"x48" Webbing Belt w/ Break-Away Belt

1-0159-15 2"x60" Webbing Belt w/ Break-Away Belt



Integrated Radians Vest



Usage: iPad used for Industrial Functions (Including Scanning)

Radians Vest Integration system is designed with Retractor holding pockets inside of the vest pockets.

The Gear Keeper is hidden in the holding pocket with the retractable end extending from an eyelet, leaving the full pocket to house the device without interference of the Retractable Tether for a low profile, streamline system.

Safety Tether Option: Recommend 6oz retraction force prevents loss and damage with minimal force on iPad. Will not retract the iPad, but typically the iPad can be returned to pocket area and released to be left dangling for frequent use. Store iPad in pocket when not using.

Retractor Option: Recommend 9oz or 12oz retraction force depending on iPad model and case configuration.

With correctly selected retraction force, iPad can be let go and will retract back to pocket area. Can be left hanging during frequent use. Store iPad in pocket when not using.



■ Radians Vest Integrated

Available Retraction Forces:

6 oz./36"

9 oz./32"

12 oz./32"

iPad Attachment Accessories - QCII Male Connections



- **7/8" Split Ring** Attaches to iPad case strap or if case has large lanyard loop attachment points.
Recommended for UAG cases



- **Spectra/Nylon Lanyard** Attaches to iPad case with large lanyard loop. Use this lanyard when it will fit as it is the strongest lanyard attachment.
Recommended for PIVOT cases.



- **Thin Nylon Cord Lanyard – Short** Attaches to iPad case with small lanyard loop attachment points.
Recommended for Otter Defender cases



- **Nylon Cord Lanyard – Short**
Recommended when storing iPad in close pouch.



- **Nylon Cord Lanyard – Long**
Recommended when storing iPad in separate pouch.

iPad Reduced Strength Connections - QCII Male Connections

Usage: Safety when Concern of iPad Getting Caught in Machinery



- **7/8" Split Ring** Attaches to iPad case strap or if case has large lanyard loop attachment points.
Recommended for UAG cases



- **Spectra/Nylon Lanyard** Attaches to iPad case with large lanyard loop. Use this lanyard when it will fit as it is the strongest lanyard attachment.
Recommended for PIVOT cases.



- **Thin Nylon Cord Lanyard – Short** Attaches to iPad case with small lanyard loop attachment points.
Recommended for Otter Defender cases



- **Nylon Cord Lanyard – Short**
Recommended when storing iPad in close pouch.



- **Nylon Cord Lanyard – Long**
Recommended when storing iPad in separate pouch.

Contact Us *Customization, Sampling Assistance or Setup a Video Call*



Request Solutions and Samples:
info@gearkeeper.com

